

# Offre n°2024-07469

## PhD Position F/M Robust and Agile Transportation of Cable Suspended-Loads with Multi-Drone Systems

Le descriptif de l'offre ci-dessous est en Anglais

Type de contrat : CDD

Niveau de diplôme exigé : Bac + 5 ou équivalent

Fonction : Doctorant

### A propos du centre ou de la direction fonctionnelle

The Inria Centre at Rennes University is one of Inria's eight centres and has more than thirty research teams. The Inria Centre is a major and recognized player in the field of digital sciences. It is at the heart of a rich R&D and innovation ecosystem: highly innovative PMEs, large industrial groups, competitiveness clusters, research and higher education players, laboratories of excellence, technological research institute, etc.

### Contexte et atouts du poste

#### Conditions:

- The work will be carried in English in the [Rainbow team](#) at the [Inria Rennes Bretagne Atlantique](#) research center.
- The Ph.D. position is full-time for 3 years (standard duration in France). The position will be paid according to the French salary regulations for PhD students.
- We do high quality and impactful research in robotics, publishing on the major journals and conferences.
- We often collaborate with other top researchers in Europe and worldwide.
- You will have access to a well established laboratory including:
  - two flying arenas equipped with motion tracking system, several quadrotors, and a few fully-actuated manipulators,
  - one robotic manipulation lab equipped with several robotic arms, like the Franka Emika Panda.
- You will be part of an international and friendly team. We organize several events, from after works, to multi-day lab retreat.
- Regular visits and talks by internationally known researchers from top research labs.

Supervisors : M. Tognon, P. Robuffo Giordano

### Mission confiée

#### Context

A predominant objective of robotics is developing autonomous systems capable of assisting humans in challenging, laborious, or hazardous tasks, particularly in environments that are difficult to access, such as high altitudes, outer space, or places with radiation exposure. To overcome these problems, **aerial vehicles (a.k.a. drones or UAVs) are an effective solution**. On one side, they have already proven to be excellent in performing several tasks – spanning from navigation [1] to surveillance [2] – mostly thanks to their agility and ability to move quickly. On the other side, despite recent advancements on these “navigation” tasks and promising application scenarios, current results on drones are still very preliminary in terms of (1) collaborative manipulation skills and strategies, (2) payload and endurance capabilities, as well as (3) human-drone interaction and control [3]. However, possible applications requiring physical contact and manipulation skills are numerous: structure assembly, contact-based inspection, transportation, harvesting, etc.

The most frequent approach to endow a drone with manipulation capabilities is the installation of dedicated equipment, such as grippers or robotic arms. Alternatively, the manipulation/transportation of objects can be performed cooperatively by multiple agents using **cables or tethers**. This latter approach has the advantage of simplicity and flexibility, as it allows the transportation or manipulation of possibly large, bulky, or heavy objects, like a stretcher in search and rescue scenarios. However, this approach requires accurate planning/control algorithms, as well as the precise coordination of the drones for the cooperative transportation/manipulation. Depending on the task at hand, such cooperative actions can also be carried out by multiple drones remotely controlled at high-level by a human operator (see Fig. 1 for an illustrative example). This allows blending the autonomy of the multi-drone system with the higher cognitive capabilities of a human operator who can be in charge of general aspects of the mission (what object to pick, where to release it, etc.).

The work will be carried out at **IRISA-CNRS in Rennes** as part of the [Rainbow team](#), which is internationally recognized for its scientific activity as well as for technology transfer experience in the

## References

### *Cable-suspended multi-drone system*

- [a] D. Sanalidro, M. Tognon, A. Jimenez-Cano, J. Cortes, and A. Franchi, "Indirect Force Control of a Cable-suspended Aerial Multi-Robot Manipulator". In : IEEE Robotics and Automation Letters, vol. 7, no. 3, pp. 2377-3766, 2022.
- [b] A. E. Jiménez-Cano, Sanalidro, D., Tognon, M., Franchi, A., and Cortés, J., "Precise Cable-Suspended Pick-and-Place with an Aerial Multi-robot System", Journal of Intelligent & Robotic Systems, vol. 105, pp. 1–13, 2022.
- [c] D. Sanalidro, Savino, H. J., Tognon, M., Cortés, J., and Franchi, A., "Full-Pose Manipulation Control of a Cable-Suspended Load With Multiple UAVs Under Uncertainties", IEEE Robotics and Automation Letters, vol. 5, no. 2, pp. 2185-2191, 2020.

### *Human/Multi-Drone Interaction*

- [e] M. Aggravi, C. Pacchierotti, P. Robuffo Giordano. Connectivity-maintenance teleoperation of a uav fleet with wearable haptic feedback. IEEE Transactions on Automation Science and Engineering, 18(3), 1243-1262, 2020
- [f] M. Aggravi, A. Alaaeldin Said Elsherif, P. Robuffo Giordano, C. Pacchierotti. Haptic-Enabled Decentralized Control of a Heterogeneous Human-Robot Team for Search and Rescue in Partially-known Environments. IEEE Robotics and Automation Letters (also presented at ICRA'21), 6(3):4843-4850, July 2021
- [g] M. Aggravi, G. Sirignano, P. Robuffo Giordano, C. Pacchierotti. Decentralized control of a heterogeneous human-robot team for exploration and patrolling. IEEE Transactions on Automation Science and Engineering, 19(4):3109-3125, September 2022.

### *Active Sensing and Localization for Multiple Drones*

- [h] L. Balandi, N. de Carli, P. Robuffo Giordano. Persistent Monitoring of Multiple Moving Targets Using High Order Control Barrier Functions. IEEE Robotics and Automation Letters, 8(8):5236-5243, August 2023
- [i] N. de Carli, P. Salaris, P. Robuffo Giordano. Multi-Robot Active Sensing for Bearing Formations. In IEEE Int. Symp. on Multi-Robot and Multi-Agent Systems, Boston (MA), United States, December 2023
- [j] Nicola De Carli, Paolo Salaris, and P. Robuffo Giordano. Distributed Control Barrier Functions for Global Connectivity Maintenance. In 2024 IEEE Int. Conf. on Robotics and Automation (ICRA 2024), 2024

### *Robust Trajectory Generation for Drones*

- [k] P. Robuffo Giordano, Q. Delamare, A. Franchi. Trajectory Generation for Minimum Closed-Loop State Sensitivity. In IEEE Int. Conf. on Robotics and Automation, ICRA'18, Pages 286-293, Brisbane, Australia, May 2018
- [l] S. Wasiela, P. Robuffo Giordano, J. Cortes, T. Simeon. A Sensitivity-Aware Motion Planner (SAMP) to Generate Intrinsically-Robust Trajectories. In IEEE Int. Conf. on Robotics and Automation, ICRA'23, Pages 12707-12713, London, UK, May 2023
- [m] A. Srour, A. Franchi, P. Robuffo Giordano. Controller and Trajectory Optimization for a Quadrotor UAV with Parametric Uncertainty. In IEEE/RSJ Int. Conf. on Intelligent Robots and Systems, IROS 2023, Pages 9999-10005, Detroit (MI), United States, October 2023

### *Bibliographie*

- [1] C. Goerzen, Z. Kong, and B. Mettler. "A survey of motion planning algorithms from the perspective of autonomous UAV guidance". In: Journal of Intelligent and Robotic Systems 57 (2010), pp. 65–100.
- [2] E. Semsch, M. Jakob, D. Pavlicek, and M. Pechoucek. "Autonomous UAV surveillance in complex urban environments". In: 2009 IEEE/WIC/ACM International Joint Conference on Web Intelligence and Intelligent Agent Technology. Vol. 2. IEEE, 2009, pp. 82–85.
- [3] A. Öllero, M. Tognon, A. Suarez, D. Lee, and A. Franchi. "Past, present, and future of aerial robotic manipulators". In: IEEE Trans. on Robotics 38.1 (2021), pp. 626–645

## Principales activités

### Envisaged Activities

The goal of this PhD Thesis is to advance the state-of-the-art in the field of **multi-drone transportation of cable-suspended loads** along several key directions:

- **Perception and Localization:** Most previous experiments in this domain have relied on precise localization provided by external motion capture systems. This thesis aims to relax this assumption by using onboard drone cameras to localize the relative positions between the drones, the suspended platform (e.g., using visual markers), and the overall system position. This is a non-trivial challenge due to the limited field of view of the cameras and the potential conflicts between the task requirements and the need for each drone to maintain the platform and other drones in their field of view. The researchers plan to address this using a distributed approach based on Control Barrier Functions, which can help relax the constraints on maintaining visibility.
- **Robust and Online Motion Generation:** Cable-suspended multi-drone systems face numerous constraints related to perception, actuation, geometry, and stability. The thesis will address these challenges by leveraging Nonlinear Model Predictive Control (NMPC) techniques, which can generate online feasible motion plans that meet the constraints and optimize for factors like task error, energy consumption, and completion time. A key focus will be on generating **aggressive maneuvers** that minimize time while dampening load oscillations, in order to fully exploit the drones' actuation capabilities. Additionally, the researchers will incorporate **robustness guarantees** into the NMPC formulation, using metrics they have recently developed to quantify

the system's resilience to parametric uncertainties in the models.

- **Human-Multi-Drone Interaction:** The project will address the problem of interfacing a human operator with the multi-drone system by developing **shared control techniques**. The goal is to allow the human to provide intuitive high-level commands (e.g., commanding the load's linear velocity) that will then be processed by the group autonomy (the NMPC algorithm) to produce a feasible motion plan. This will help the human operator effectively accomplish the assigned task **together** with the robots, while providing the operator with rich information about the robots' actions (e.g., through force or visual cues) to increase task performance and trust in the robotic system.

## Avantages

- - Subsidized meals
  - Partial reimbursement of public transport costs
  - Possibility of teleworking (90 days per year) and flexible organization of working hours
  - Partial payment of insurance costs

## Rémunération

Monthly gross salary amounting to 2082 euros for the first and second years and 2190 euros for the third year

## Informations générales

- **Thème/Domaine :** Robotique et environnements intelligents
- **Ville :** Rennes
- **Centre Inria :** [Centre Inria de l'Université de Rennes](#)
- **Date de prise de fonction souhaitée :** 2024-01-01
- **Durée de contrat :** 3 ans
- **Date limite pour postuler :** 2024-08-14

## Contacts

- **Équipe Inria :** [RAINBOW](#)
- **Directeur de thèse :**  
Tognon Marco / [marco.tognon@inria.fr](mailto:marco.tognon@inria.fr)

## A propos d'Inria

Inria est l'institut national de recherche dédié aux sciences et technologies du numérique. Il emploie 2600 personnes. Ses 215 équipes-projets agiles, en général communes avec des partenaires académiques, impliquent plus de 3900 scientifiques pour relever les défis du numérique, souvent à l'interface d'autres disciplines. L'institut fait appel à de nombreux talents dans plus d'une quarantaine de métiers différents. 900 personnels d'appui à la recherche et à l'innovation contribuent à faire émerger et grandir des projets scientifiques ou entrepreneuriaux qui impactent le monde. Inria travaille avec de nombreuses entreprises et a accompagné la création de plus de 200 start-up. L'institut s'efforce ainsi de répondre aux enjeux de la transformation numérique de la science, de la société et de l'économie.

## L'essentiel pour réussir

### Requirements:

- M.Sc. degree in mechatronics, robotics, engineering, computer science (or related fields)
- Excellent written and spoken English skills
- Good experience in C/C++ , ROS, Matlab/Simulink, CAD
- Good experience with numerical trajectory optimization tools for robotics (e.g., use of CaSaDi, Acado, Autodiff, Crocodyl, etc.)
- Scientific curiosity, large autonomy and ability to work independently
- Experience with visual sensors and visual perception for robotics is a plus
- Experience with robotic systems and/or aerial robots is a plus

**Attention:** Les candidatures doivent être déposées en ligne sur le site Inria. Le traitement des candidatures adressées par d'autres canaux n'est pas garanti.

## Consignes pour postuler

Please submit online : your resume, cover letter and letters of recommendation eventually

### Sécurité défense :

Ce poste est susceptible d'être affecté dans une zone à régime restrictif (ZRR), telle que définie dans le décret n°2011-1425 relatif à la protection du potentiel scientifique et technique de la nation (PPST). L'autorisation d'accès à une zone est délivrée par le chef d'établissement, après avis ministériel favorable, tel que défini dans l'arrêté du 03 juillet 2012, relatif à la PPST. Un avis ministériel défavorable pour un

poste affecté dans une ZRR aurait pour conséquence l'annulation du recrutement.

**Politique de recrutement :**

Dans le cadre de sa politique diversité, tous les postes Inria sont accessibles aux personnes en situation de handicap.